Winshuttle Function Module 20.2 Server-side Uninstallation

February 2021



Prerequisites

- 1. Please read note 2011192 (Uninstalling ABAP Add-Ons) for general technical prerequisites.
- Ensure that you import the current SPAM/SAINT update (version 0053 or later for SAP NetWeaver 2004s). To confirm the version, compare the short text of the last imported SPAM/SAINT update (SAPKD*) with the short text of the SPAM/SAINT update in the SAP Service Marketplace. If the SAP Service Marketplace contains a more current version, import the new SPAM/SAINT update. For more information, please see note <u>19466</u>.
- 3. The transport tool TP must be version 380.07.22 or later. You must use a kernel with at least release 7.20. The transport tool R3trans must have the AUG/06/2013 or later version.



Go to SAP t-code **SAINT.**

Click the **Deinstallable components** tab.

Select the **WINSHTLQ** add-on from the list.

Click Start.

Add-On Inst	allation To	001 - V	ersion 7	.00/0061				
9 🖉 🖻 🚹								
	Add-On Inst	tallatio	on Tool : I)einstallable	Add-Ons			
Installed Comp	onents Dein	stallable (components					
Add-On	Release	Level	Hinweis	Beschreibung			[
WINSHTLQ	NNx	0000	1883223	WinshuttleFM	Vx			
								•
				5 			• •	
Status/Remarks								
The overview	shows the Add	d-Ons wh	ich can be de	einstalled				
- Mark the Add-C	Dn, which you v	want to d	leinstall					
- Choose [STAR]	[] to start the	deinstalla	tion					
Back	Start					× c	ancel	

In the screenshots above, **NNx** represents the Winshuttle Function Module version, with **NN** being a two-digit number and **x** being a one-digit number. For example: **Vx = 20.2**

WINSHUTTLE®

		н.		

You want to uninstall the following software components:

Add-On	Hinweis
WINSHTLQ	<u>1883223</u>

This can cause data to be lost. Before starting the uninstallation, follow the URLs to the associated SAP notes and read them carefully. Every SAP note contains further information about each component and describes necessary steps you need to perform before and after the uninstallation.

Select the required start options.

Choose 'Continue' to confirm, that you have read the notes, and to start the uninstallation with the selected start options.

Checks		Start in background 🔹	Planned Start		Ð	00:00:00
			No Start After		•	00:00:00
Preparation	⇒	Continue in background immediat	Planned Start	1	()	00:00:00
			No Start After	1	Ð	00:00:00
Import	⇒	Continue in background immediat	Planned Start	1	Ð	00:00:00
			No Start After	12	4	00:00:00

Under Checks, select Start in background.

Click Green Tick/Continue.



Deinstallation queue			1.	
OCS Package	Package type	Software Compo	Release	Short desc
	 ▲ ▶ □□□ 			4 Þ
Status/Remarks				
 You can only use the one of the season: Background impose The deinstallation of the choose [LOGS] to display 	display mode ort job is scheduled to star ne Add-On is currently in p ay the import logs	t on 02.02.2018, 12:5 hase CHECK_SWCV	4:15	

The screen above will appear. It indicates that the Uninstallation process has started.

Click the **Refresh** button on the tool bar – highlighted in the screenshot above.



Add-On Installa	tion Tool - Version	7.00/0061		
3 💷 🛛 🗈				
Deinstal	lation of Add-On WINSHT	LQ rel.NNx: Import	ed queue	
Deinstallation queue	Software Components]		
Imported deinstallatio				
OCS Package	Package type	Software Compo	Release	Short d
SAPKNNxNE7INWINSHTL	Q Component deletion	WINSHTLQ	NNx	Local De
	• •			4 1
Status/Remarks				
1 The Add-On WINSH	I LQ rel.NNx was successfully	deinstalled		
- Choose [LOGS] to di	splay the import logs			
- Choose [FINISH] to f	inish the deinstallation			
Back	Finish 🔁 Log	s Screen 2	2/2 🛪	Cancel

When the add-on has been successfully uninstalled, click **Logs**.

Click **Finish** to complete the uninstallation process.

